

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040225990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:44
S2	0	(acut adj angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:45
S3	17	(acute adj angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:47
S4	17	((acute or "90" or ninty) adj angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:49
S5	65	((acute or "90" or ninty) near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:22
S6	2	((acute or "90" or ninty) adj angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:50
S7	2	((acute or "90" or ninty) near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:53
S8	2	((acute or ("90" or ninty) near3 less)) near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:06
S9	2	((acute or ("90" or ninty) near3 less) or thirty or "30" or sixty or "60") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:10

EAST Search History

S10	4930	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:16
S11	11	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and (direction near3 (horizontal and vertical and (diagonal or "45" or (fourty adj five) or oblique)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:41
S12	721	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and (horizontal and vertical and (diagonal or "45" or (fourty adj five) or oblique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:20
S13	3	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and (horizontal and vertical and (diagonal or "45" or (fourty adj five) or oblique)) and ("716"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:21
S14	51	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60" or "45") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and (direction near3 ((horizontal or vertical or manhattan) and (diagonal or "45" or (fourty adj five) or oblique or (non adj manhattan or nonmanhattan))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:43
S15	0	((acute or (("90" or ninty) near3 less) or thirty or "30" or sixty or "60" or "45") near3 angle) same (rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (avoid\$4 or remov\$3 or prevent\$3) and (direction near3 ((horizontal or vertical or manhattan) and (diagonal or "45" or (fourty adj five) or oblique or (non adj manhattan or nonmanhattan)))) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:44

EAST Search History

S16	429	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:46
S17	147	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) same angle and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:46
S18	39	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) same angle same (test\$3 or evaluat\$3 or comput\$3 or calculat\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:47
S19	75	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) same angle same (test\$3 or evaluat\$3 or comput\$3 or calculat\$3 or verif\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:47
S20	82	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) same angle same (test\$3 or evaluat\$3 or comput\$3 or calculat\$3 or verif\$3 or determin\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 08:48

EAST Search History

S21	82	(rout\$3 or wir\$3 or connect\$3 or interconnect\$3) same (horizontal or vertical or manhattan) same (diagonal or "45" or (fourty adj five) or oblique or acute or "30" or "60" or thirty or sixty or (non adj manhattan or nonmanhattan)) same angle same (test\$3 or evaluat\$3 or comput\$3 or calculat\$3 or verif\$3 or determin\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 09:02
S22	31	acute same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 14:59
S23	2	shape same acute same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:00
S24	4	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) and acute and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:18
S25	102	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:19
S26	0	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) same table and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:21
S27	8	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) same (table or file or database) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:28
S28	70	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) and (table or file or database) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:30
S29	4	shape same angle same (rout\$3 or wir\$3 or interconnect\$3 or connect\$3 or intersect\$3) same (table or file or database) and (line adj2 line) and (line adj2 via) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:29


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) |

☐ Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(((acute or sixty or 60 or thirty or 30 or 45) and angle and (remov* or avoid* or prevent*) and (rou..."

Your search matched 17 of 1331196 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

» Key



Indicates full text access

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((acute or sixty or 60 or thirty or 30 or 45) and angle and (remov* or avoid*

☐ Check to search only within this results set

Display Format:

☒ Citation ☐ Citation & Abstract

[view selected items](#)

[Select All](#) [Deselect All](#)

- ☐ 1. **Compressed differential angles as a feature in handwritten c**
 Kang, S.Y.;
[Multidimensional Signal Processing Workshop, 1989., Sixth](#)
 6-8 Sept. 1989 Page(s):75 - 76
 Digital Object Identifier 10.1109/MDSP.1989.97034
[Abstract](#) | [Full Text: PDF\(104 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Plasma chemical cleaning of chip carrier in a downstream h**
 discharge
 Nicolussi, G.; Beck, E.;
[Advanced Semiconductor Manufacturing 2002 IEEE/SEMI Confe](#)
[Workshop](#)
 30 April-2 May 2002 Page(s):172 - 176
 Digital Object Identifier 10.1109/ASMC.2002.1001598
[Abstract](#) | [Full Text: PDF\(560 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Robust face tracking using color segmentation aided with c**
components labeling and morphology
 Kabakli, T.; Celik, T.; Demirel, H.; Ozkaramanli, H.; Uyguroglu, N
[Signal Processing and Communications Applications Conference](#)
[of the IEEE 12th](#)
 28-30 April 2004 Page(s):442 - 445
 Digital Object Identifier 10.1109/SIU.2004.1338558
[Abstract](#) | [Full Text: PDF\(351 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Sensitivity analysis and optimization of excimer laser ablati**
formation using neural networks and genetic algorithms
 Setia, R.; May, G.S.; Sundaram, V.; Tummala, R.R.;
[Electronics Manufacturing Technology Symposium, 2004. IEEE/I](#)
[International](#)
 Jul 14-16, 2004 Page(s):131 - 139
 Digital Object Identifier 10.1109/IEMT.2004.1321645
[Abstract](#) | [Full Text: PDF\(630 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- ☐ **5. Improved Feeding Structures to Enhance the Performance of Impulse Radiating Antenna (IRA)**
Manteghi, M.; Rahmat-Samii, Y.;
[Antennas and Propagation, IEEE Transactions on](#)
Volume 54, Issue 3, March 2006 Page(s):823 - 834
Digital Object Identifier 10.1109/TAP.2006.869917
[Abstract](#) | [Full Text: PDF\(2256 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **6. Collimator design and manufacturing for a mobile tomography system based on positronography**
Holmberg, M.; Dale, S.; Elmqvist, H.; Lindstrom, C.; Bone, D.; Jo
[Nuclear Science Symposium and Medical Imaging Conference F](#)
[IEEE](#)
Volume 3, 21-28 Oct. 1995 Page(s):1571 - 1574 vol.3
Digital Object Identifier 10.1109/NSSMIC.1995.500326
[Abstract](#) | [Full Text: PDF\(384 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **7. Time-resolved spectroscopic investigations of soft X-ray ray pinches**
Pikuz, S.A.; Shelkovenko, T.A.; Sinars, D.B.; Chandler, K.M.; Ha
Skobelev, I.Y.; Abdallah, J.;
[Pulsed Power Plasma Science, 2001. IEEE Conference Record](#)
17-22 June 2001 Page(s):196
Digital Object Identifier 10.1109/PPPS.2001.960785
[Abstract](#) | [Full Text: PDF\(68 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **8. Indigenous development of a RFI shielded cabinet for electronic**
Venkatasubramani, T.L.;
[Electromagnetic Interference and Compatibility, 1995. International](#)
6-8 Dec. 1995 Page(s):493
Digital Object Identifier 10.1109/ICEMIC.1995.501634
[Abstract](#) | [Full Text: PDF\(56 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **9. Compact and low-loss arrayed waveguide grating module with relaxed spot-size converter**
Mizuno, T.; Kitoh, T.; Ishii, M.; Inoue, Y.; Saida, T.; Itoh, M.; Shib
[Photonics Technology Letters, IEEE](#)
Volume 15, Issue 2, Feb. 2003 Page(s):239 - 241
Digital Object Identifier 10.1109/LPT.2002.806836
[Abstract](#) | [Full Text: PDF\(267 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **10. Exploiting temporal correlation in shape coding**
Melnikov, G.; Schuster, G.M.; Katsaggelos, A.K.;
[Signals, Systems & Computers, 1998. Conference Record of the](#)
[Asilomar Conference on](#)
Volume 2, 1-4 Nov. 1998 Page(s):1601 - 1605 vol.2
Digital Object Identifier 10.1109/ACSSC.1998.751596
[Abstract](#) | [Full Text: PDF\(412 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **11. Computation of transmission-line immunity level in the presence of sequence spread-spectrum electromagnetic signal by using**

Trakadas, P.T.; Kouveliotis, N.K.; Babalis, P.G.; Capsalis, C.N.;
Electromagnetic Compatibility, IEEE Transactions on
Volume 45, Issue 1, Feb. 2003 Page(s):2 - 9
Digital Object Identifier 10.1109/TEMC.2002.808073
[Abstract](#) | Full Text: [PDF\(703 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **12. A novel space-time adaptive processing algorithm**
Saarnisaari, H.; Puska, H.;
Signals, Systems and Computers, 2004. Conference Record of the Asilomar Conference on
Volume 1, 7-10 Nov. 2004 Page(s):280 - 283 Vol.1
Digital Object Identifier 10.1109/ACSSC.2004.1399136
[Abstract](#) | Full Text: [PDF\(511 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. Efficient multiuser MIMO scheduling strategies**
Pangan Ting; Jung-Chieh Chen; Chao-Kai Wen; Jiunn-Tsair Chi
Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE
Volume 2, 26-29 Sept. 2004 Page(s):1139 - 1142 Vol. 2
Digital Object Identifier 10.1109/VETECF.2004.1400199
[Abstract](#) | Full Text: [PDF\(2010 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. Starting transients in slip energy recovery induction motor and performance**
Akpinar, E.; Pillay, P.; Ersak, A.;
Energy Conversion, IEEE Transactions on
Volume 7, Issue 1, March 1992 Page(s):245 - 251
Digital Object Identifier 10.1109/60.124567
[Abstract](#) | Full Text: [PDF\(552 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. Effects on Correlation Between Two Mobile Radio Base-Station**
Lee, W.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 21, Issue 11, Nov 1973 Page(s):1214 - 1224
[Abstract](#) | Full Text: [PDF\(672 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **16. Role of the magnetic field in the cathode region during vacuum**
Zhitomirsky, V.N.; Altcrkop, B.; Kinrot, U.; Boxman, R.; Goldsmid
Discharges and Electrical Insulation in Vacuum, 1996. Proceedings of the International Symposium on
Volume 2, 21-26 July 1996 Page(s):876 - 880 vol.2
Digital Object Identifier 10.1109/DEIV.1996.545488
[Abstract](#) | Full Text: [PDF\(472 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. Simultaneous post-injection transmission and emission correction in a volume imaging PET scanner**
Smith, R.J.; Karp, J.S.;
Nuclear Science Symposium and Medical Imaging Conference 1995
Volume 3, 21-28 Oct. 1995 Page(s):1781 - 1785 vol.3
Digital Object Identifier 10.1109/NSSMIC.1995.501930
[Abstract](#) | Full Text: [PDF\(524 KB\)](#) IEEE CNF
[Rights and Permissions](#)